

PAVER APPLICATION

Installation Method Rating

This chart is for general reference only. Job site situations may change installation recommendations. Please contact a sales representative for more information.

| | |
|----------------|---|
| Sand Set* | S |
| Bituminous | B |
| Thin Set | T |
| Mortar Set | M |
| No Application | X |

**All Sand Set installations can utilize Bituminous, Thin Set, and Mortar Set Applications.*

| | PRODUCT SIZE IN INCHES | THICKNESS IN INCHES | PEDESTRIAN - NO MAINTENANCE VEHICLES | PEDESTRIAN - WITH MAINTENANCE VEHICLES | LIGHT VEHICULAR F150 PICK UP TRUCK | MODERATE VEHICULAR H 10-20 LOADING |
|-------------------|------------------------|---------------------|--------------------------------------|--|------------------------------------|------------------------------------|
| WOOD GRAIN | 6 x 12 | 2 3/4 | S | BTM | TM | X |
| | 6 x 20 | 2 3/4 | S | BTM | TM | X |
| | 6 x 28 | 2 3/4 | S | BTM | TM | X |
| | 12 x 16 | 2 3/4 | S | BTM | TM | X |
| | 12 x 24 | 2 3/4 | S | BTM | TM | X |
| | 12 x 40 | 2 3/4 | S | BTM | TM | X |
| V - SERIES | 6 x 12 | 2 | S | S | X | X |
| | 6 x 12 | 2 3/4 | S | S | SBTM | TM |
| | 6 x 12 | 3 | S | S | SBTM | TM |
| | 6 x 16 | 2 | S | B | TM | X |
| | 6 x 16 | 2 3/4 | S | S | TM | X |
| | 8 HEX | 2 | S | S | TM | X |
| | 8 HEX | 2 3/4 | S | S | S | TMB |
| | 8 x 12 | 2 | S | S | X | X |
| | 8 x 12 | 2 3/4 | S | S | SBTM | TM |
| | 9 x 12 Permeable | 3 | S | S | S | BTM |
| | 12 x 12 | 2 | S | S | X | X |
| | 12 x 12 | 2 3/4 | S | S | SBTM | TM |
| | 12 x 12 | 3 | S | S | SBTM | BTM |
| | 12 x 24 | 2 | S | B | X | X |
| | 12 x 24 | 2 3/4 | S | B | BTM | X |
| | 12 x 24 | 3 | S | S | BTM | BTM |
| | 16 x 16 | 2 | S | B | X | X |
| | 16 x 16 | 2 3/4 | S | S | TM | X |
| | 16 x 36 | 2 | S | B | X | X |
| | 16 x 36 | 2 3/4 | S | B | TM | X |
| | 18 x 18 | 2 | S | BTM | X | X |
| | 18 x 18 | 2 3/4 | S | B | TM | X |
| | 18 x 24 | 2 | S | B | X | X |
| | 18 x 24 | 2 3/4 | S | B | TM | X |
| | 24 x 24 | 2 | S | B | X | X |
| | 24 x 24 | 2 3/4 | S | B | TM | X |
| | 24 x 48 | 2 1/2 | S | BTM | X | X |
| 24 x 48 | 2 3/4 | S | BTM | X | X | |
| 30 x 30 | 2 3/4 | S | B | X | X | |
| 36 x 36 | 2 3/4 | S | B | X | X | |

CALL FOR FURTHER DETAILS & PRICING.



| | PRODUCT SIZE IN INCHES | THICKNESS IN INCHES | PEDESTRIAN - NO MAINTENANCE VEHICLES | PEDESTRIAN - WITH MAINTENANCE VEHICLES | LIGHT VEHICULAR F150 PICK UP TRUCK | MODERATE VEHICULAR H 10-20 LOADING |
|--------------------------|------------------------|---------------------|--------------------------------------|--|------------------------------------|------------------------------------|
| V - SERIES (HAVE TO CUT) | 3 x 12 | 2 | S | B | TM | X |
| | 3 x 12 | 2 1/4 | S | B | TM | X |
| | 3 x 12 | 2 1/2 | S | BTM | TM | X |
| | 3 x 12 | 2 3/4 | S | S | SBTM | X |
| | 3 x 18 | 2 | B | BTM | TM | X |
| | 3 x 18 | 2 1/4 | S | B | TM | X |
| | 3 x 18 | 2 1/2 | B | BTM | TM | X |
| | 3 x 18 | 2 3/4 | S | BTM | BTM | X |
| | 3 x 24 | 2 1/2 | B | TM | X | X |
| | 3 x 24 | 2 3/4 | B | TM | X | X |
| | 4 x 12 | 2 | S | B | TM | X |
| | 4 x 12 | 2 1/4 | S | BTM | TM | X |
| | 4 x 12 | 2 1/2 | S | B | BTM | X |
| | 4 x 12 | 2 3/4 | S | S | SBTM | X |
| | 4 x 16 | 2 3/4 | S | BTM | TM | X |
| | 4 x 18 | 2 | S | B | TM | X |
| | 4 x 18 | 2 1/4 | S | BTM | TM | X |
| | 4 x 18 | 2 1/2 | S | B | TM | X |
| | 4 x 18 | 2 3/4 | S | BTM | TM | X |
| | 4 x 24 | 2 1/2 | BTM | TM | X | X |
| | 4 x 24 | 2 3/4 | B | BTM | X | X |
| | 6 x 6 | 2 1/4 | S | S | BTM | X |
| | 6 x 9 | 2 | S | S | TM | X |
| | 6 x 18 | 2 | S | BTM | TM | X |
| | 6 x 18 | 2 1/4 | S | BTM | TM | X |
| | 6 x 18 | 2 1/2 | S | BTM | TM | X |
| | 6 x 18 | 2 3/4 | S | BTM | TM | X |
| | 6 x 24 | 2 | S | BTM | TM | X |
| | 6 x 24 | 2 1/4 | S | BTM | TM | X |
| | 6 x 24 | 2 1/2 | S | BTM | TM | X |
| | 6 x 24 | 2 3/4 | S | BTM | TM | X |
| | 6 x 30 | 2 1/2 | B | BTM | X | X |
| | 6 x 30 | 2 3/4 | B | BTM | X | X |
| | 6 x 36 | 2 3/4 | B | BTM | X | X |
| | 8 x 16 | 2 | S | S | TM | X |
| | 8 x 16 | 2 1/4 | S | BTM | TM | X |
| | 8 x 16 | 2 1/2 | S | BTM | TM | X |
| | 8 x 24 | 2 | S | BTM | TM | X |
| | 8 x 24 | 2 1/4 | S | BTM | TM | X |
| | 8 x 24 | 2 1/2 | S | BTM | TM | X |
| | 8 x 24 | 2 3/4 | S | S | TM | X |
| | 8 x 30 | 2 1/4 | BTM | BTM | X | X |
| 8 x 30 | 2 1/2 | B | BTM | X | X | |
| 8 x 30 | 2 3/4 | S | BTM | TM | X | |
| 8 x 36 | 2 1/2 | B | BTM | X | X | |
| 9 x 18 | 2 3/4 | S | BTM | TM | X | |
| 12 x 18 | 2 1/4 | S | BTM | TM | X | |
| 12 x 30 | 2 1/4 | BTM | BTM | X | X | |
| 12 x 30 | 2 1/2 | B | BTM | X | X | |
| 12 x 36 | 2 1/2 | B | BTM | X | X | |
| 12 x 36 | 2 3/4 | S | BTM | X | X | |
| 12 x 48 | 2 1/2 | B | BTM | X | X | |
| 12 x 48 | 2 3/4 | S | BTM | X | X | |
| 15 x 30 | 2 1/2 | B | BTM | X | X | |
| 15 x 30 | 2 3/4 | S | BTM | TM | X | |
| 18 x 24 | 2 1/4 | S | BTM | X | X | |
| 18 x 36 | 2 1/2 | B | BTM | X | X | |
| 18 x 36 | 2 3/4 | S | BTM | X | X | |

CALL FOR FURTHER DETAILS & PRICING.



WAUSAU TILE

| | PRODUCT SIZE IN INCHES | THICKNESS IN INCHES | PEDESTRIAN - NO MAINTENANCE VEHICLES | PEDESTRIAN - WITH MAINTENANCE VEHICLES | LIGHT VEHICULAR F150 PICK UP TRUCK | MODERATE VEHICULAR H 10-20 LOADING |
|-------------------|------------------------|---------------------|--------------------------------------|--|------------------------------------|------------------------------------|
| H - SERIES | 3 x 12 | 2 | S | BTM | X | X |
| | 3 x 12 | 4 | S | S | S | S |
| | 4 x 4 | 3 | S | S | S | S |
| | 4 x 8 | 3 | S | S | S | S |
| | 4 x 8 | 3P | S | S | S | S |
| | 4 x 12 | 2 | S | S | X | X |
| | 4 x 12 | 4 | S | S | S | S |
| | 6 x 6 | 3 | S | S | S | S |
| | 6 x 12 | 2 | S | S | BTM | X |
| | 6 x 12 | 2 3/4 | S | S | SBTM | TM |
| | 6 x 12 | 3 | S | S | BTM | TM |
| | 6 x 12 | 4 | S | S | S | S |
| | 6 x 18 | 2 | S | BTM | X | X |
| | 6 x 18 | 2 3/4 | S | BTM | TM | X |
| | 6 x 18 | 4 | S | S | BTM | TM |
| | 6 x 24 | 2 | S | BTM | X | X |
| | 6 x 24 | 2 3/4 | S | BTM | X | X |
| | 6 x 24 | 4 | S | S | TM | TM |
| | 6 x 36 | 2 3/4 | BTM | TM | X | X |
| | 6 x 36 | 4 | S | S | TM | X |
| | 8 x 24 | 2 | S | BTM | X | X |
| | 8 x 24 | 2 3/4 | S | BTM | X | X |
| | 8 HEX | 2 | S | S | BTM | X |
| | 9 x 12 | 3 | S | S | S | BTM |
| | 9 x 12 Permeable | 3 | S | S | S | BTM |
| | 12 x 12 | 2 | S | S | TM | X |
| | 12 x 12 | 3 | S | S | SBTM | BTM |
| | 12 x 12 | 4 | S | S | S | S |
| | 12 x 18 | 2 3/4 | S | BTM | BTM | X |
| | 12 x 24 | 2 | S | BTM | X | X |
| | 12 x 24 | 3 | S | S | BTM | BTM |
| | 12 x 24 | 4 | S | S | BTM | TM |
| | 12 x 48 | 2 3/4 | S | BTM | X | X |
| | 12 x 48 | 4 | S | S | TM | X |
| | 15 x 30 | 2 | S | BTM | X | X |
| | 18 x 18 | 2 | S | BTM | X | X |
| | 18 x 36 | 2 3/4 | S | BTM | X | X |
| | 24 x 24 | 2 | S | BTM | X | X |
| | 24 x 24 | 2 3/4 | S | BTM | X | X |
| | 24 x 36 w/ False Joint | 2 | S | X | X | X |
| | 24 x 48 | 2 3/4 | S | BTM | X | X |
| | 27 1/2 x 29 3/4 | 3 | S | S | BTM | X |
| 30 x 30 | 2 3/4 | S | BTM | X | X | |
| 36 x 36 | 2 3/4 | S | TM | X | X | |
| 40 x 40 | 3 | S | BTM | BTM | X | |
| 42 x 42 | 4 | S | S | TM | X | |

CALL FOR FURTHER DETAILS & PRICING.